

# Maxilit∈ FIRE RATED BULK HEAD SYSTEMS


UTILISING LIGHTWEIGHT 60mm BOARD

Up to 4 hours Fire Ratings (to AS I530.4-2005)

### Horizontal one-sided bulkheads

#### 60mm thick Maxilite boards, up to 1500mm wide

Maxi<u>lite</u>



#### Key:

- 1 Maxilite boards, 60mm thick (or equivalent laminated thickness)
- 2 Cover Strips (Detail 1)
- 3 Steel angles, 50mm x 50mm x 0.8mm (Detail 2)
- 4 Butt joint

Maxilite board	60mm thick board for 4 hour fire rating. Boards are joined together using rebate or butt joints incorporating approved fire rated sealant in all joints. Boards are screw-fixed to steel angles at max. 200mm centres.
Corners	Corners fixed to steel angles with self tapping screws at 200mm centres.
Joints	Boards are joined by butt joints incorporating approved fire rated sealant. Cover strips are fixed over the joint.
Cover strips	20 or 30mm Maxilite or 9mm Orbit FR x 100mm wide fixed to outside of joint. Strips are secured to both sides of the joint at max. 200mm centres.
Steel angles	50mm x 50mm x 0.8mm (minimum size), fixed to masonry, concrete or plasterboard at max. 600mm centres and screw-fixed to boards.
Fixings	<ul> <li>Board to board / steel angle: minimum M4 - 100mm self tapping screws at 200mm centres. Allow 10 to 15mm from edges of Maxilite board.</li> <li>Steel angle to masonry or concrete: minimum M6 anchor bolts at 400mm centres.</li> <li>Steel angle to plasterboard: minimum M4 - 100mm self tapping screws at 400mm centres.</li> </ul>

Note: Laminated boards of equivalent thickness can be used. I.e. 2x30mm




Our Products are available Nationwide Sales:1800 888 714

### Horizontal two-sided bulkheads

#### 60mm thick Maxilite boards, up to 1500mm x 1500mm

Maxi<u>lite</u>



#### Key:

- 1 Maxilite boards, 60mm thick (or equivalent laminated thickness)
- 2 Cover Strips (Detail 1)
- 3 Steel angles, 50mm x 50mm x 0.8mm (Detail 2)
- 4 Butt joint

r	
Maxilite board	60mm thick board for 4 hour fire rating. Boards are joined together using rebate or butt joints incorporating approved fire rated sealant in all joints. Boards are screw-fixed to steel angles at max. 200mm centres.
Corners	Corners fixed to steel angles with self tapping screws at 200mm centres.
Joints	Boards are joined by butt joints incorporating approved fire rated sealant. Cover strips are fixed over the joint.
Cover strips	20 or 30mm Maxilite or 9mm Orbit FR x 100mm wide fixed to outside of joint. Strips are secured to both sides of the joint at max. 200mm centres.
Steel angles	50mm x 50mm x 0.8mm (minimum size), fixed to masonry, concrete or plasterboard at max. 600mm centres and screw-fixed to boards.
Fixings	<ul> <li>Board to board / steel angle: minimum M4 - 100mm self tapping screws at 200mm centres. Allow 10 to 15mm from edges of Maxilite board.</li> <li>Steel angle to masonry or concrete: minimum M6 anchor bolts at 400mm centres.</li> <li>Steel angle to plasterboard: minimum M4 - 100mm self tapping screws at 400mm centres.</li> </ul>

Note: Laminated boards of equivalent thickness can be used. I.e. 2x30mm




Our Products are available Nationwide Sales:1800 888 714

### Horizontal three-sided bulkhead

#### 60mm thick Maxilite boards, up to 1500mm x 1500mm

Maxi<u>lite</u>



- 1 Maxilite boards, 60mm thick (or equivalent laminated thickness)
- 2 Cover Strips (Detail 1)
- 3 Steel angles, 50mm x 50mm x 0.8mm (Detail 2)
- 4 Butt joint

Maxilite board	60mm thick board for 4 hour fire rating. Boards are joined together using rebate or butt joints incorporating approved fire rated sealant in all joints. Boards are screw-fixed to steel angles at max. 200mm centres.
Corners	Corners fixed to steel angles with self tapping screws at 200mm centres.
Joints	Boards are joined by butt joints incorporating approved fire rated sealant. Cover strips are fixed over the joint.
Cover strips	20 or 30mm Maxilite or 9mm Orbit FR x 100mm wide fixed to outside of joint. Strips are secured to both sides of the joint at max. 200mm centres.
Steel angles	50mm x 50mm x 0.8mm (minimum size), fixed to masonry, concrete or plasterboard at max. 600mm centres and screw-fixed to boards.
Fixings	<ul> <li>Board to board / steel angle: minimum M4 - 100mm self tapping screws at 200mm centres. Allow 10 to 15mm from edges of Maxilite board.</li> <li>Steel angle to masonry or concrete: minimum M6 anchor bolts at 400mm centres.</li> <li>Steel angle to plasterboard: minimum M4 - 100mm self tapping screws at 400mm centres.</li> </ul>

Note: Laminated boards of equivalent thickness can be used. I.e. 2x30mm




Our Products are available Nationwide Sales:1800 888 714

### Vertical one-sided bulkheads

#### 60mm thick Maxilite boards, up to 1500mm wide

## Maxi<u>lite</u>

#### Self-supporting system



#### Key:

- 1 Maxilite boards, 60mm thick (or equivalent laminated thickness)
- 2 Cover Strips (Detail 1)
- 3 Steel angles, 50mm x 50mm x 0.8mm (Detail 2)
- 4 Butt joint

Maxilite board	60mm thick board for 4 hour fire rating. Boards are joined together using rebate or butt joints incorporating approved fire rated sealant in all joints. Boards are screw-fixed to steel angles at max. 200mm centres.
Corners	Corners fixed to steel angles with self tapping screws at 200mm centres.
Joints	Boards are joined by butt joints incorporating approved fire rated sealant. Cover strips are fixed over the joint.
Cover strips	20 or 30mm Maxilite or 9mm Orbit FR x 100mm wide fixed to outside of joint. Strips are secured to both sides of the joint at max. 200mm centres.
Steel angles	50mm x 50mm x 0.8mm (minimum size), fixed to masonry, concrete or plasterboard at max. 600mm centres and screw-fixed to boards.
Fixings	<ul> <li>Board to board / steel angle: minimum M4 - 100mm self tapping screws at 200mm centres. Allow 10 to 15mm from edges of Maxilite board.</li> <li>Steel angle to masonry or concrete: minimum M6 anchor bolts at 400mm centres.</li> <li>Steel angle to plasterboard: minimum M4 - 100mm self tapping screws at 400mm centres.</li> </ul>

Note: Laminated boards of equivalent thickness can be used. I.e. 2x30mm




Our Products are available Nationwide Sales: 1800 888 714

### Vertical two-sided bulkheads

#### 60mm thick Maxilite boards, up to 1500mm x 1500mm

Maxilite

#### Self-supporting system



#### Key:

- 1 Maxilite boards, 60mm thick (or equivalent laminated thickness)
- 2 Cover Strips (Detail 1)
- 3 Steel angles, 50mm x 50mm x 0.8mm (Detail 2)
- 4 Butt joint

Maxilite board	60mm thick board for 4 hour fire rating. Boards are joined together using rebate or butt joints incorporating approved fire rated sealant in all joints. Boards are screw-fixed to steel angles at max. 200mm centres.
Corners	Corners fixed to steel angles with self tapping screws at 200mm centres.
Joints	Boards are joined by butt joints incorporating approved fire rated sealant. Cover strips are fixed over the joint.
Cover strips	20 or 30mm Maxilite or 9mm Orbit FR x 100mm wide fixed to outside of joint. Strips are secured to both sides of the joint at max. 200mm centres.
Steel angles	50mm x 50mm x 0.8mm (minimum size), fixed to masonry, concrete or plasterboard at max. 600mm centres and screw-fixed to boards.
Fixings	<ul> <li>Board to board / steel angle: minimum M4 - 100mm self tapping screws at 200mm centres. Allow 10 to 15mm from edges of Maxilite board.</li> <li>Steel angle to masonry or concrete: minimum M6 anchor bolts at 400mm centres.</li> <li>Steel angle to plasterboard: minimum M4 - 100mm self tapping screws at 400mm centres.</li> </ul>

Note: Laminated boards of equivalent thickness can be used. I.e. 2x30mm




Our Products are available Nationwide Sales:1800 888 714

### Vertical three-sided bulkheads

#### 60mm thick Maxilite boards, up to 1500mm x 1500mm

Maxilite

#### Self-supporting system



#### Key:

- 1 Maxilite boards, 60mm thick (or equivalent laminated thickness)
- 2 Cover Strips (Detail 1)
- 3 Steel angles, 50mm x 50mm x 0.8mm (Detail 2)
- 4 Butt joint

Maxilite board	60mm thick board for 4 hour fire rating. Boards are joined together using rebate or butt joints incorporating approved fire rated sealant in all joints. Boards are screw-fixed to steel angles at max. 200mm centres.
Corners	Corners fixed to steel angles with self tapping screws at 200mm centres.
Joints	Boards are joined by butt joints incorporating approved fire rated sealant. Cover strips are fixed over the joint.
Cover strips	20 or 30mm Maxilite or 9mm Orbit FR x 100mm wide fixed to outside of joint. Strips are secured to both sides of the joint at max. 200mm centres.
Steel angles	50mm x 50mm x 0.8mm (minimum size), fixed to masonry, concrete or plasterboard at max. 600mm centres and screw-fixed to boards.
Fixings	<ul> <li>Board to board / steel angle: minimum M4 - 100mm self tapping screws at 200mm centres. Allow 10 to 15mm from edges of Maxilite board.</li> <li>Steel angle to masonry or concrete: minimum M6 anchor bolts at 400mm centres.</li> <li>Steel angle to plasterboard: minimum M4 - 100mm self tapping screws at 400mm centres.</li> </ul>

Note: Laminated boards of equivalent thickness can be used. I.e. 2x30mm




Our Products are available Nationwide Sales:1800 888 714

Maxilite

### Head of Wall upgrade

60mm thick Maxilite boards, up to 1500mm high

#### Self-supporting system



#### Key:

FRL -/240/240 Fire from both directions

- 1 Maxilite boards, 60mm thick (or equivalent laminated thickness)
- 2 Cover Strips
- 3 Butt joint detail options
- 4 Control joint

Maxilite board	60mm thick Maxilite board for 4 hour fire rating. Maxilite boards are fixed directly to the wall but not fixed fixed to the slab above. Ensure a minimum of 10mm nominal gap is maintained between the slab and the Maxilite board to allow for building movement. Boards are joined together using butt joints details shown above (as applicable) incorporating approved fire mastic in all joints.
Joints (longitudinal)	Longitudinal joints between Maxilite boards consist of butt joint detail incorporating approved fire mastic. Cover strips are then fixed over the joint as shown above.
Cover strips	20 or 30mm Maxilite or 9mm Orbit FR x 100mm wide fixed to outside of joint. Strips are secured to both sides of the joint at max. 200mm centres.
Fixings	<ul> <li>Board to board / steel angle: minimum M4-100mm self tapping screws at 200mm centres. Allow 10 to 15mm from edges of Maxilite board.</li> <li>Steel angle to masonry or concrete: minimum M6 anchor bolts at 400mm centres.</li> <li>Steel angle to plasterboard: minimum M4-100mm self tapping screws at 400mm centres.</li> </ul>

Note: Laminated boards of equivalent thickness can be used. I.e. 2x30mm



Our Products are available Nationwide Sales:1800 888 714